

# Indicator Lights Neon, LED and Filament Lamp







## Colours and voltages:





































-  **Neon** Available with Red, Amber, Green or Clear lenses  
100/130V (marked 110V), 200/250V (marked 230V)
-  **LED - DC** Red, Yellow, Green, Blue, White  
2.0/2.2V Resistors for other voltages available.
-  **LED - AC** Red, Yellow, Green, Blue, White  
110-230V ac operation.
-  **Filament lamp** Available with Red, Amber, Green, Clear or Blue lenses  
6V, 12/14V, 24/28V.

- ▶ Neon, LED, mains LED or filament lamp
- ▶ Bezel sizes from 6.7 to 16.3mm diameter
- ▶ Red, amber, green and clear lenses
- ▶ Red, yellow, green, blue and white LEDs
- ▶ Wide choice of styles


## To create a catalogue number:

Refer to the 2 columns below (terminal and type), then state: Lens colour, voltage and whether neon, LED or filament lamp

TERM	TYPE	PANEL & °C	ILLUM'N OPTIONS	APPROVAL	DIMENSIONS (mm)
L	(C) 2870 00	12.7			
K 2.8		0.75-2.0			
H 4.8					
C 6.3		page 6			
L	(C) 0589 00	12.7			
K 2.8		0.8-1.5			
H 4.8					
C 6.3		page 6			
L	L 0081 00 Chrome bezel	12.7			
		9.5			
		page 6			
L	(C) 0177 00 Chrome bezel	12.7			
K 2.8		12.0max			
H 4.8					
C 6.3		page 6			
L	(C) 0067 00 Chrome bezel	12.7			
K 2.8		1.14max			
H 4.8					
C 6.3		page 6			
L	(C) 0180AA	12.7			
C 6.3		19.0max			
		page 6			

TERM		TYPE	PANEL & °C	ILLUM'N OPTIONS	APPROVAL	DIMENSIONS (mm)	
L		(C) <b>0180BB</b> Chrome bezel 	 13.5  0.9-1.14  page 6	  DC 	 	 10.4 22.3 5.1  Ø16.3	
L		(C) <b>0579 00</b> 	 14.0  2.5max  page 6	  DC  AC 	  	 10.0 25.4 3.2  Ø15.9	
C 6.3		(C) <b>1092</b> 	 19.0  4.0max  page 6	  AC		 26.9 15.0 max Ø22.9  Ø22.9	

# Indicator Lights Neon, LED and Filament Lamp



## Part Number Ordering

Arcoelectric Part Number	Type	Light Source	Colour	Voltage
C287000NAD	(C) 2870 OO	Neon	Red	230 V
C287000NAE	(C) 2870 OO	Neon	Green	230 V
C287000NAI	(C) 2870 OO	Neon	Amber	230 V
C287000NAO	(C) 2870 OO	Neon	Green	110 V
C287000NAP	(C) 2870 OO	Neon	Red	110 V
L006700NAA	(C) 0067 OO	Neon	Red	230 V
L006700NAF	(C) 0067 OO	Neon	Amber	230 V
L006700NAM	(C) 0067 OO	Neon	Green	230 V