

VMAXPA Product Details



Sensors, Monitors & Protective Relays

[Not EU RoHS or ELV Compliant](#)

Product Highlights:

- VMA Series
- Protective Relay
- Pick-Up = 109 V
- Drop-Out = 81 - 103 V
- DC Actuating System

[View all Features](#) |
 [Find Similar Products](#)

Quick Links

- ▶ [Check Pricing & Availability](#)
- ▶ [Search for Tooling](#)
- ▶ [Product Feature Selector](#)
- ▶ [Contact Us About This Product](#)
- ▶ [Request Samples](#)

NEW!

VMAXPA

(4-1437466-0)

TE Part Number: 4-1437466-0

 **Active**

 [Add to Part List](#)

Documentation & Additional Information

Product Drawings:

- None Available

Catalog Pages/Data Sheets:

- None Available

Product Specifications:

- None Available

Application Specifications:

- None Available

Instruction Sheets:

- None Available

CAD Files:

- None Available

Additional Information:

- [Product Line Information](#)

Related Products:

- [Tooling](#)

Product Features (Please use the Product Drawing for all design activity)

Product Type Features:

- [Product Type](#) = Protective Relay
- Termination Type = 8 Pin Octal-Style Plug

Electrical Characteristics:

- [Actuating System](#) = DC
- Input Voltage (VDC) = 125
- [Phase](#) = Single
- Contact Rating = 7A @ 250 VAC

Body Related Features:

- [Series](#) = VMA

Contact Related Features:

- [Mode of Operation](#) = Fixed Pick-Up and Adjustable Drop-Out
- Approx. Dimensions (L x W x H) (mm [in]) = 49.00 x 49.00 x 83.00 [1.930 x 1.930 x 3.270]
- Mounting Options = Socket
- Approved Standards = UL Recognized, CE Approved
- Type of Control = Locking Potentiometer

Housing Related Features:

- [Pick-Up \(V\)](#) = 109
- [Drop-Out \(V\)](#) = 81 - 103

Configuration Related Features:

- [Contact Arrangement](#) = 2 Form C, DPDT, 2 C/O
- [Contact Arrangement, Additional Output](#) = None

Industry Standards:

- [RoHS/ELV Compliance](#) = Not ELV/RoHS compliant
- [Lead Free Solder Processes](#) = Not suitable for lead free processing

Conditions for Usage:

- Temperature Range (°C) = -10 - +55

Operation/Application:

- [Protection Function](#) = Undervoltage, Close Differential
- [Time Delay](#) = Without

Other:

- Brand = Agastat