

1825013 -1 Product Details


Live Product Chat US Only
 8:30am - 5pm ET, Mon - Fri

1825013 -1
 [Active](#)

DIP, Rotary DIP, SIP Switches and DIP Shunts - Standard

[Always EU RoHS/ELV Compliant](#) ([Statement of Compliance](#))

Product Highlights:

- ? Rotary DIP
- ? Number of Positions = 10
- ? PCB Mount Style = Surface Mount
- ? Actuator Style = Screwdriver/Coin
- ? Sealed

[View all Features](#) | [Find Similar Products](#)
Quick Links

[Check Pricing & Availability](#)
[Search for Tooling](#)
[Product Feature Selector](#)
[Contact Us About This Product](#)

Documentation & Additional Information

Product Drawings:

- ? [MRD SERIES 7MM ROTARY DIP SWITCH](#) (PDF, English)

Catalog Pages/Data Sheets:

- ? None Available

Product Specifications:

- ? None Available

Application Specifications:

- ? None Available

Instruction Sheets:

- ? None Available

CAD Files:

- ? None Available

Additional Information:

- ? [Product Line Information](#)

Related Products:

- ? [Tooling](#)

[List all Documents](#)

Product Features

(Please use the Product Drawing for all design activity)

Product Type Features:

- ? Product Type = Rotary DIP
- ? [Number of Positions](#) = 10
- ? [PCB Mount Style](#) = Surface Mount
- ? [Actuator Style](#) = Screwdriver/Coin
- ? Sealed = Yes
- ? [Number of Switches](#) = 10
- ? Code Type = BC Decimal
- ? Mount Angle = Vertical
- ? Termination Style = Printed Circuit Board

Termination Related Features:

- ? Solder Tail Contact Plating = Tin
- ? Seal Type = Process

Body Related Features:

- ? Series = MRD
- ? Centerline (mm [in]) = 2.54 [0.100]
- ? Centerline, Matrix (mm [in]) = 2.54 x 7.62 [.100 x .300]
- ? Actuator Color = Red

Contact Related Features:

- ? Auto -Insertable = No
- ? Contact Material = Copper Alloy
- ? Contact Mating Area Plating = Gold over Nickel

Housing Related Features:

- ? Low Profile = Yes
- ? Housing Color = Black
- ? Housing Material = PPS
- ? Housing Flammability Rating = UL 94V -0

Industry Standards:

- ? [RoHS/ELV Compliance](#) = RoHS compliant, ELV compliant
- ? [Lead Free Solder Processes](#) = Wave solder capable to 240°C, Wave solder capable to 260°C, Wave solder capable to 265°C
- ? RoHS/ELV Compliance History = Always was RoHS compliant

Packaging Related Features:

- ? Packaging Method = Package

Other:

- ? Brand = Alcoswitch