


# Brushless DC Axial Fans



General Specifications		Part Number	Voltage (V)	Current (A)	Speed (RPM)	Power (W)	Airflow (CFM)	Max. Air Pressure (Inch-H2O)	Noise (dBA)	Weight (g)	Bearing Type	
<b>Material:</b>		<b>120 x 120 x 38mm (4 3/4 x 1 1/2")</b>										
Body PBT UL 94V-0		99484002	12	0.59	3000	7	105	0.31	45.0	323	Sleeve	
Fan PBT UL 94V-0		99484004	12	0.27	2300	3.2	83	0.18	36.0	323	Sleeve	
<b>Insulation Class E</b>		99484006	24	0.25	3000	6	105	0.31	45.0	323	Sleeve	
<b>Approvals UL, cUL Recognized E118509</b>		99484051	12	0.65	3150	7.8	120	0.34	48.0	323	Ball	
<b>Box Count:</b>		99484052	12	0.59	3100	7	106	0.32	46.5	323	Ball	
120 x 38 40 pieces		99484053	12	0.42	2850	5	93	0.23	42.0	323	Ball	
120 x 25 40 pieces		99484055	24	0.33	3150	7.9	120	0.34	48.0	323	Ball	
92 x 25 50 pieces		99484056	24	0.25	3100	6	106	0.31	46.5	323	Ball	
80 x 25 50 pieces		99484057	24	0.23	2850	5.5	93	0.23	42.0	323	Ball	
60 x 25 100 pieces												
60 x 15 200 pieces												
40 x 20 200 pieces												
40 x 10 400 pieces												
25 x 10 500 pieces												

<b>120 x 120 x 25mm (4 3/4 x 1")</b>											
99484101	12	0.42	3000	5	84	0.25	44.0	250	Sleeve		
99484102	12	0.26	2700	3.1	77	0.20	40.0	250	Sleeve		
99484104	24	0.25	3000	6	84	0.25	44.0	250	Sleeve		
99484105	24	0.22	2700	5.3	77	0.20	40.0	250	Sleeve		
99484106	24	0.17	2300	4.1	65	0.16	35.0	250	Sleeve		
99484151	12	0.42	3100	5	85	0.26	44.5	250	Ball		
99484152	12	0.26	2800	3.1	78	0.21	41.0	250	Ball		
99484153	12	0.23	2400	2.8	66	0.17	35.5	250	Ball		
99484154	24	0.25	3100	6	85	0.26	44.5	250	Ball		
99484155	24	0.22	2800	5.3	78	0.21	41.0	250	Ball		
99484156	24	0.17	2400	4.1	66	0.17	35.5	250	Ball		


<b>92 x 92 x 25mm (3 9/16 x 1")</b>											
99484201	12	0.22	3200	2.6	50	0.19	33.0	135	Sleeve		
99484202	12	0.16	2700	2	44	0.17	27.0	135	Sleeve		
99484203	12	0.12	2400	1.4	42	0.15	25.5	135	Sleeve		
99484204	24	0.15	3200	3.6	50	0.19	33.0	135	Sleeve		
99484205	24	0.12	2700	2.2	44	0.17	27.0	135	Sleeve		
99484206	24	0.10	2400	1.7	42	0.15	25.5	135	Sleeve		
99484251	12	0.22	3400	2.6	51	0.19	34.0	135	Ball		
99484252	12	0.16	2800	2	45	0.17	28.0	135	Ball		
99484253	12	0.12	2500	1.4	42.5	0.15	26.0	135	Ball		
99484254	24	0.22	3400	3.6	51	0.19	34.0	135	Ball		
99484256	24	0.12	2500	1.7	42.5	0.15	26.0	135	Ball		

Other Information	To Order, Specify:				
For dimensions and air flow performance see pages 150-151. All DC fans are supplied with Lead wires only.	<table border="1"> <tr> <td>99484002</td> <td>Standard, normally stocked products</td> </tr> <tr> <td>99484003</td> <td>Products produced to order - minimum quantities may apply</td> </tr> </table>	99484002	Standard, normally stocked products	99484003	Products produced to order - minimum quantities may apply
99484002	Standard, normally stocked products				
99484003	Products produced to order - minimum quantities may apply				

Products and specifications subject to change without notice.

Order/Technical Support - Tel: (800) 677-5311 / FAX: (800) 677-3865 / www.crouzet-usa.com

# Brushless DC Axial Fans



General Specifications		Part Number	Voltage (V)	Current (A)	Speed (RPM)	Power (W)	Airflow (CFM)	Max. Air Pressure (Inch-H2O)	Noise (dBA)	Weight (g)	Bearing Type	
<b>Material:</b>		<b>80 x 80 x 25mm (3 1/8 x 1 1/2 )</b>										
Body	PBT UL 94V-0	99484301	12	0.22	3000	2.6	41.7	0.19	33.0	120	Sleeve	
Fan	PBT UL 94V-0	99484303	12	0.12	2200	1.4	29.4	0.15	24.5	120	Sleeve	
<b>Insulation Class E</b>		99484304	24	0.15	3000	3.6	41.7	0.19	33.0	120	Sleeve	
<b>Approvals UL, cUL Recognized E118509</b>		99484305	24	0.12	2650	2.9	34.4	0.17	28.0	120	Sleeve	
<b>Box Count:</b>		99484306	24	0.10	2200	2.4	29.4	0.15	24.5	120	Sleeve	
120 x 38	40 pieces	99484351	12	0.22	3200	2.6	42.5	0.23	33.5	120	Ball	
120 x 25	40 pieces	99484353	12	0.12	2500	1.4	30	0.14	25.0	120	Ball	
92 x 25	50 pieces	99484354	24	0.22	3100	2.6	38	0.23	33.5	120	Ball	
80 x 25	50 pieces	99484356	24	0.12	2350	1.4	27	0.14	25.0	120	Ball	
60 x 25	100 pieces	<b>60 x 60 x 25 (mm)</b>										
60 x 15	200 pieces	99484401	12	0.19	4500	2.2	21.7	0.20	34.0	60	Sleeve	
40 x 20	200 pieces	99484402	12	0.13	3800	1.6	17.6	0.14	31.0	60	Sleeve	
40 x 10	400 pieces	99484403	12	0.09	3300	1.2	15.9	0.10	26.7	60	Sleeve	
25 x 10	500 pieces	99484404	24	0.11	4500	2.6	21.7	0.20	34.0	60	Sleeve	
		99484406	24	0.06	3300	1.4	15.9	0.10	26.7	60	Sleeve	
		99484451	12	0.19	4700	2.2	22.1	0.22	34.3	60	Ball	
		99484454	24	0.11	4500	2.6	21.7	0.20	34.0	60	Ball	
		<b>60 x 60 x 15 (mm)</b>										
		99484501	12	0.16	4000	1.9	17.8	0.14	31.0	45	Sleeve	
		99484502	12	0.09	3300	1.2	14.8	0.11	26.0	45	Sleeve	
		<b>40 x 40 x 20 (mm)</b>										
		99484601	12	0.07	6000	0.9	6.5	0.12	25.5	35	Sleeve	
		99484602	12	0.50	4500	0.6	5.2	0.08	22.8	35	Sleeve	
		99484603	24	0.07	6500	1.6	7.8	0.16	29.0	35	Sleeve	
		99484604	24	0.05	6000	1.2	6.5	0.12	25.5	35	Sleeve	
		<b>40 x 40 x 10 (mm)</b>										
		99484701	12	0.09	5500	1.1	5.8	0.11	25.0	15.3	Sleeve	
		99484751	12	0.09	6600	1.1	6.5	0.15	27.0	15.3	Ball	
		<b>25 x 25 x 10 (mm)</b>										
		99484801	12	0.10	10000	1.1	1.5	0.10	23.0	7	Sleeve	

Other Information	To Order, Specify:				
For dimensions and air flow performance see page 154. All DC fans are supplied with Lead wires only.	<table border="1"> <tr> <td>99484002</td> <td>Standard, normally stocked products</td> </tr> <tr> <td>99484003</td> <td>Products produced to order D minimum quantities may apply</td> </tr> </table>	99484002	Standard, normally stocked products	99484003	Products produced to order D minimum quantities may apply
99484002	Standard, normally stocked products				
99484003	Products produced to order D minimum quantities may apply				


Products and specifications subject to change without notice.

Order/Technical Support - Tel: (800) 677-5311 / FAX: (800) 677-3865 / www.crouzet-usa.com

# Brushless DC Axial Fans - Dimensions and Performance


## Dimensions

□ 120 x 38  
120 x 25




## Air performance


99 484 002 - 99 484 006




□ 92 x 25




99 484 201 / 204 - 99 484 203 / 206




□ 80 x 25




99 484 301 / 304 - 99 484 303 / 306



□ 60 x 25



99 484 401 - 99 484 403




Products and specifications subject to change without notice.

Order/Technical Support - Tel: (800) 677-5311 / FAX: (800) 677-3865 / www.crouzet-usa.com

# Brushless DC Axial Fans - Dimensions and Performance


## Dimensions

∅ 60 x 15





## Air performance

99 484 501





∅ 40 x 20

99 484 601





∅ 40 x 10

99 484 701



∅ 25 x 10

99 484 801



Products and specifications subject to change without notice.

Order/Technical Support - Tel: (800) 677-5311 / FAX: (800) 677-3865 / [www.crouzet-usa.com](http://www.crouzet-usa.com)